



***Nacionalni centar za vanjsko
vrednovanje obrazovanja***

Adesivo per l'identificazione
dell'alunno/a

INCOLLARE ATTENTAMENTE

CHIMICA

Fascicolo PSE

KEM T D



KEM.05.IT.R.T1.04



12

Chimica

SISTEMA PERIODICO DEGLI ELEMENTI – IUPAC

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18		
1 H 1,01																	2 He 4,00		
	3 Li 6,94															9 F 19,0	10 Ne 20,2		
	11 Na 23,0	12 Mg 24,3														17 Cl 35,5	18 Ar 39,9		
19 K 39,1	20 Ca 40,1		21 Sc 45,0	22 Ti 47,9	23 V 50,9	24 Cr 52,0	25 Mn 54,9	26 Fe 55,8	27 Co 58,9	28 Ni 58,7	29 Cu 63,5	30 Zn 65,4	31 Ga 69,7	32 Ge 72,6	33 As 74,9	34 Se 79,0	35 Br 79,9	36 Kr 83,8	
37 Rb 85,5	38 Sr 87,6	39 Y 88,9	40 Zr 91,2	41 Nb 92,9	42 Mo 95,9	43 Tc [98]	44 Ru 101	45 Rh 103	46 Pd 106	47 Ag 108	48 Cd 112	49 In 115	50 Sn 119	51 Sb 122	52 Te 128	53 I 127	54 Xe 131		
55 Cs 133	56 Ba 137	57-71 lantanoidi	72 Hf 178	73 Ta 181	74 W 184	75 Re 186	76 Os 190	77 Ir 192	78 Pt 195	79 Au 197	80 Hg 201	81 Tl 204	82 Pb 207	83 Bi 209	84 Po [209]	85 At [210]	86 Rn [222]		
87 Fr [223]	88 Ra [226]	89-103 attinoidi	104 Rf [261]	105 Db [262]	106 Sg [266]	107 Bh [264]	108 Hs [277]	109 Mt [268]	110 Ds [269]	111 Rg [272]	112 Uub [285]	114 Uuq [289]			116 Uuh [289]				
57 La 139	58 Ce 140	59 Pr 141	60 Nd 144	61 Pm [145]	62 Sm 150	63 Eu 152	64 Gd 157	65 Tb 159	66 Dy 163	67 Ho 165	68 Er 167	69 Tm 169	70 Yb 173	71 Lu 175					
89 Ac [227]	90 Th 232	91 Pa 231	92 U 238	93 Np [237]	94 Pu [244]	95 Am [243]	96 Cm [247]	97 Bk [247]	98 Cf [251]	99 Es [252]	100 Fm [257]	101 Md [258]	102 No [259]	103 Lr [262]					

KEM T D



99

Chimica

COSTANTI NATURALI FONDAMENTALI

<i>Grandezze</i>	<i>Simbolo</i>	<i>Valore</i>
Velocità della luce nel vuoto	c_0	$3,00 \cdot 10^8 \text{ m s}^{-1}$
Costante di Planck	h	$6,63 \cdot 10^{-34} \text{ J s}$
Carica elementare	e	$1,60 \cdot 10^{-19} \text{ C}$
Massa dell'elettrone	m_e	$9,11 \cdot 10^{-31} \text{ kg}$
Massa del protone	m_p	$1,67 \cdot 10^{-27} \text{ kg}$
Massa del neutrone	m_n	$1,67 \cdot 10^{-27} \text{ kg}$
Costante di massa atomica, unità di massa atomica, dalton	$m_u = 1 \text{ u} = 1 \text{ Da}$	$1,66 \cdot 10^{-27} \text{ kg}$
Costante di Avogadro	L, N_A	$6,02 \cdot 10^{23} \text{ mol}^{-1}$
Costante di Boltzmann	k	$1,38 \cdot 10^{-23} \text{ J K}^{-1}$
Costante di Faraday	F	$9,65 \cdot 10^4 \text{ C mol}^{-1}$
Costante molare dei gas	R	$8,31 \text{ J K}^{-1} \text{ mol}^{-1}$
0 gradi Celsius di temperatura		273 K
Volume molare dei gas ideali ($p = 101,325 \text{ kPa}$, $t = 0 \text{ °C}$)		22,4 L mol ⁻¹

KEM T D



99



Chimica

Pagina vuota

KEM T D



99

